

## Clear Acrylic Tape

- ▶ High shear tape with superior holding power
- ▶ Light to medium duty acrylic packaging tape
- ▶ Performs well in a range of temperatures

| Item No.                 | Color                  | Size                    | Selling Unit           |                      |
|--------------------------|------------------------|-------------------------|------------------------|----------------------|
| 16CST2110C               | Clear                  | 48 mm X 100 m, 1.6 mil  | 36 rls/cs, 75 cs/plt   |                      |
| 16CST3110C               |                        | 72 mm X 100 m, 1.6 mil  | 24 rls/cs, 75 cs/plt   |                      |
| CST2110C                 |                        | 48 mm X 100 m, 1.75 mil | 36 rls/cs, 75 cs/plt   |                      |
| CST3110C                 |                        | 72 mm X 100 m, 1.75 mil | 24 rls/cs, 75 cs/plt   |                      |
| CST255C                  |                        | 48 mm X 50 m, 1.75 mil  | 36 rls/cs, 100 cs/plt  |                      |
| CST355C                  |                        | 72 mm X 50 m, 1.75 mil  | 24 rls/cs, 100 cs/plt  |                      |
| CST2110T                 | Tan                    | 48 mm X 100 m, 1.75 mil | 36 rls/cs, 75 cs/plt   |                      |
| CST3110T                 |                        | 72 mm X 100 m, 1.75 mil | 24 rls/cs, 75 cs/plt   |                      |
| CST255T                  |                        | 48 mm X 50 m, 1.75 mil  | 36 rls/cs, 100 cs/plt  |                      |
| CST355T                  |                        | 72 mm X 50 m, 1.75 mil  | 24 rls/cs, 100 cs/plt  |                      |
| CST2220C                 | Clear                  | 48 mm X 200 m, 1.75 mil | 36 rls/cs, 75 cs/plt   |                      |
| CST21000C <sup>M</sup>   |                        | 48 mm X 914 m, 1.75 mil | 6 rls/cs, 48 cs/plt    |                      |
| 19CST2110C               |                        | 48 mm X 100 m, 1.9 mil  | 36 rls/cs, 75 cs/plt   |                      |
| 19CST3110C               |                        | 72 mm X 100 m, 1.9 mil  | 24 rls/cs, 75 cs/plt   |                      |
| 20CST2110C               |                        | 48 mm X 100 m, 2 mil    | 36 rls/cs, 75 cs/plt   |                      |
| 20CST3110C               |                        | 72 mm X 100 m, 2 mil    | 24 rls/cs, 75 cs/plt   |                      |
| 20CST2110T               | Tan                    | 48 mm X 100 m, 2 mil    | 36 rls/cs, 75 cs/plt   |                      |
| 20CST3110T               |                        | 72 mm X 100 m, 2 mil    | 24 rls/cs, 75 cs/plt   |                      |
| 20CST255C                | Clear                  | 48 mm X 50 m, 2 mil     | 36 rls/cs, 100 cs/plt  |                      |
| 20CST355C                |                        | 72 mm X 50 m, 2 mil     | 24 rls/cs, 100 cs/plt  |                      |
| 20CST472C <sup>L</sup>   |                        | 96 mm X 65 m, 2 mil     | 18 rls/cs, 75 cs/plt   |                      |
| 20CST672C <sup>L</sup>   |                        | 144 mm X 65 m, 2 mil    | 12 rls/cs, 75 cs/plt   |                      |
| 20CST21000C <sup>M</sup> |                        | 48 mm X 914 m, 2 mil    | 6 rls/cs, 48 cs/plt    |                      |
| 20CST21500C <sup>M</sup> |                        | 48 mm X 1371 m, 2 mil   | 4 rls/cs, 48 cs/plt    |                      |
| 20CST31000C <sup>M</sup> |                        | 72 mm X 914 m, 2 mil    | 4 rls/cs, 48 cs/plt    |                      |
| 23CST2110C               |                        | 48 mm X 100 m, 2.3 mil  | 36 rls/cs, 75 cs/plt   |                      |
| 23CST2110T               |                        | Tan                     | 48 mm X 100 m, 2.3 mil | 36 rls/cs, 75 cs/plt |
| 23CST3110C               |                        | Clear                   | 72 mm X 100 m, 2.3 mil | 24 rls/cs, 75 cs/plt |
| 25CST2110C               | 48 mm X 100 m, 2.5 mil |                         | 36 rls/cs, 75 cs/plt   |                      |
| 25CST3110C               | 72 mm X 100 m, 2.5 mil |                         | 24 rls/cs, 75 cs/plt   |                      |
| 25CST21000C <sup>M</sup> | 48 mm X 914 m, 2.5 mil |                         | 6 rls/cs, 48 cs/plt    |                      |
| 30CST255C                | 48 mm X 50 m, 3 mil    |                         | 36 rls/cs, 75 cs/plt   |                      |
| 30CST355C                | 72 mm X 50 m, 3 mil    |                         | 24 rls/cs, 75 cs/plt   |                      |



Clear Hand Tape



16CST3110C



19CST2110C



20CST255C



23CST3110C



25CST3110C




Tan Hand Tape



CST3110T



CST355T



Machine Tape

<sup>M</sup>Machine length tape

<sup>L</sup>Label protection tape

## Natural Rubber Tape

- ▶ General performance, economical carton sealing tape with natural rubber adhesive
- ▶ Good all temperature performance
- ▶ High resistance to weathering and yellowing



NRT2110C

| Item No. | Size                  | Selling Unit         |
|----------|-----------------------|----------------------|
| NRT2110C | 48mm X 100m, 1.75 mil | 36 rls/cs, 75 cs/plt |
| NRT3110C | 72mm X 100m, 1.75 mil | 24 rls/cs, 75 cs/plt |

## PVC Tape

- ▶ Excellent adhesion regardless of extreme cold or hot temperatures
- ▶ Good insulative property
- ▶ Perfect for protecting wire splices
- ▶ Backed with a pressure sensitive rubber-type adhesive



PVC Tape



21PVC12110T

PVC1 = Industrial grade

| Item No.    | Color | Size                 | Selling Unit         |
|-------------|-------|----------------------|----------------------|
| 21PVC255T   | Tan   | 48mm X 50m, 2.1 mil  | 36 rls/cs, 75 cs/plt |
| 21PVC1255T  | Tan   | 48mm X 50m, 2.1 mil  | 36 rls/cs, 90 cs/plt |
| 21PVC255C   | Clear | 48mm X 50m, 2.1 mil  | 36 rls/cs, 75 cs/plt |
| 21PVC1255C  | Clear | 48mm X 50m, 2.1 mil  | 36 rls/cs, 90 cs/plt |
| 21PVC355C   | Clear | 72mm X 50m, 2.1 mil  | 24 rls/cs, 75 cs/plt |
| 21PVC1355C  | Clear | 72mm X 50m, 2.1 mil  | 24 rls/cs, 90 cs/plt |
| 21PVC2110T  | Tan   | 48mm X 100m, 2.1 mil | 36 rls/cs, 75 cs/plt |
| 21PVC12110T | Tan   | 48mm X 100m, 2.1 mil | 36 rls/cs, 72 cs/plt |
| 21PVC2110C  | Clear | 48mm X 100m, 2.1 mil | 36 rls/cs, 75 cs/plt |
| 21PVC12110C | Clear | 48mm X 100m, 2.1 mil | 36 rls/cs, 72 cs/plt |
| 23PVC255R   | Red   | 48mm X 50m, 2.3 mil  | 36 rls/cs, 72 cs/plt |
| 23PVC1255R  | Red   | 48mm X 50m, 2.3 mil  | 36 rls/cs, 90 cs/plt |

## Printed Tapes

- ▶ Tamper evident tape is impossible to realign tape once box has been opened
- ▶ Give maximum attention to shipping & security directions



Printed Tapes

| Item No.       | Color   | Size                    | Selling Unit         |
|----------------|---|-------------------------|----------------------|
| <b>Hotmelt</b> |   |                         |                      |
| 204810-ISB-H   | "CAUTION<br>IF SEAL IS<br>BROKEN,<br>CHECK<br>CONTENTS" | 48mm X 100m,<br>1.9 mil | 36 rls/cs, 72 cs/plt |
| 207210-ISB-H   |   | 72mm X 100m,<br>1.9 mil | 24 rls/cs, 72 cs/plt |
| <b>Acrylic</b> |   |                         |                      |
| 204810-WST     | "STOP IF<br>SEAL IS<br>BROKEN"                          | 48mm X 100m, 2 mil      | 36 rls/cs, 75 cs/plt |
| 207210-WST     |   | 72mm X 100m, 2 mil      | 24 rls/cs, 75 cs/plt |
| 204810-FGL     | "FRAGILE,<br>HANDLE<br>WITH CARE"                       | 48mm X 100m, 2 mil      | 36 rls/cs, 75 cs/plt |
| 207210-FGL     |   | 72mm X 100m, 2 mil      | 24 rls/cs, 75 cs/plt |
| 204810-WCT     | "CAUTION"   | 48mm X 100m, 2 mil      | 36 rls/cs, 75 cs/plt |

- ▶ 3-way reinforced & superior hold
- ▶ Water activated adhesive creates a tamper evident seal
- ▶ Recommended for medium to light weight packaging
- ▶ Works well on recycle cartons & NON-utilized loads

| Item No.               | Color | Size         | Description  | Selling Unit         |
|------------------------|-------|--------------|--|----------------------|
| GTE72KAR-IT2           | Kraft | 70mm X 375'  | Super Seal, Economy Grade                              | 8 rls/cs, 84 cs/plt  |
| GTE72KAR-IT            | Kraft | 72mm X 450'  | Super Seal, Economy Grade                              | 10 rls/cs, 63 cs/plt |
| GTE72WAR-IT            | White | 72mm X 450'  | Packers Pride, Economy Grade                           | 10 rls/cs, 63 cs/plt |
| GTI72KAR-IT            | Kraft | 72mm X 450'  | Central 240 Re-inforced, Industrial Grade              | 10 rls/cs, 63 cs/plt |
| GTH72KAR-IT            | Kraft | 3" X 450'    | Central 250 Re-inforced, Heavy Grade                   | 10 rls/cs, 63 cs/plt |
| <b>Shield Brand</b>    |       |              |  |                      |
| GTE72KAR-WT2           | Kraft | 70mm X 375'  | Shield Brand, Economy Grade - H1 Series                | 8 rls/cs, 84 cs/plt  |
| GTE72KAR-WT            | Kraft | 72mm" X 450' | Shield Brand, Economy Grade - H1 Series                | 10 rls/cs, 60 cs/plt |
| GTI72WAR-WT            | White | 72mm X 450'  | Shield Brand, Industrial Grade - H4 Series             | 10 rls/cs, 60 cs/plt |
| GTI72KAR-WT            | Kraft | 72mm X 450'  | Shield Brand, Reinforced, Industrial Grade - H4 Series | 10 rls/cs, 60 cs/plt |
| GTE72KAR-WT3           | Kraft | 72mm X 500'  | Shield Brand, Reinforced, Industrial Grade - H4 Series | 6 rls/cs, 90 cs/plt  |
| GTH72KAR-WT            | Kraft | 3" X 450'    | Shield Brand, Re-inforced, Heavy Grade - H5 Series     | 10 rls/cs, 60 cs/plt |
| <b>NON-Re-inforced</b> |       |              |  |                      |
| GTI72KA-IT             | Kraft | 3" X 600'    | Central 160, NON-re-inforced, Industrial Grade         | 60 cs/plt            |



WAT Tape



GTE72KAR-WT2



GTI72WAR-WT



GTE72KAR-WT



GTE72KAR-WT3



GTI72WAR-WT

- ▶ Pressure sensitive hot melt adhesive
- ▶ Used for splicing, bundling & other lightweight packaging
- ▶ **20HMT series formulated for cold temperatures**



| Item No.                 | Color | Size                   | Selling Unit          |
|--------------------------|-------|------------------------|-----------------------|
| 15HMT2110C               | Clear | 48mm X 100m, 1.5 mil   | 36 rls/cs, 75 cs/plt  |
| 15HMT3110C               | Clear | 72mm X 100m, 1.5 mil   | 24 rls/cs, 75 cs/plt  |
| 16HMT255T                | Tan   | 48mm X 50m, 1.6 mil    | 36 rls/cs, 100 cs/plt |
| 16HMT2110T               | Tan   | 48mm X 100m, 1.6 mil   | 36 rls/cs, 75 cs/plt  |
| 16HMT21000T <sup>M</sup> | Tan   | 48mm X 914m, 1.6 mil   | 6 rls/cs, 64 cs/plt   |
| 16HMT21000C <sup>M</sup> | Clear | 48mm X 914m, 1.6 mil   | 6 rls/cs, 64 cs/plt   |
| 16HMT31000C <sup>M</sup> | Clear | 72mm X 914m, 1.6 mil   | 4 rls/cs, 64 cs/plt   |
| 16HMT2110C               | Clear | 48mm X 100m, 1.6 mil   | 36 rls/cs, 75 cs/plt  |
| 16HMT3110C               | Clear | 72mm X 100m, 1.6 mil   | 24 rls/cs, 75 cs/plt  |
| HMT2110C                 | Clear | 48mm X 100m, 1.8 mil   | 36 rls/cs, 75 cs/plt  |
| HMT3110C                 | Clear | 72mm X 100m, 1.8 mil   | 24 rls/cs, 75 cs/plt  |
| HMT21000C <sup>M</sup>   | Clear | 48mm X 914m, 1.8 mil   | 6 rls/cs, 64 cs/plt   |
| HMT31000C <sup>M</sup>   | Clear | 72mm X 914m, 1.8 mil   | 4 rls/cs, 64 cs/plt   |
| HMT21500C <sup>M</sup>   | Clear | 48mm X 1371m, 1.8 mil  | 6 rls/cs, 36 cs/plt   |
| HMT31500C <sup>M</sup>   | Clear | 72mm X 1371m, 1.8 mil  | 4 rls/cs, 48 cs/plt   |
| 19HMT2110C               | Clear | 48mm X 100m, 1.85 mil  | 36 rls/cs, 75 cs/plt  |
| 19HMT3110C               | Clear | 72mm X 100m, 1.85 mil  | 24 rls/cs, 75 cs/plt  |
| 19HMT21000C <sup>M</sup> | Clear | 48mm X 914m, 1.85 mil  | 6 rls/cs, 64 cs/plt   |
| 19HMT31000C <sup>M</sup> | Clear | 72mm X 914m, 1.85 mil  | 4 rls/cs, 64 cs/plt   |
| 19HMT21500C <sup>M</sup> | Clear | 48mm X 1371m, 1.85 mil | 6 rls/cs, 36 cs/plt   |
| 19HMT31000T <sup>M</sup> | Tan   | 72mm X 914m, 1.85 mil  | 4 rls/cs, 64 cs/plt   |
| 25HMT2110C               | Clear | 48mm X 100m, 2.44 mil  | 36 rls/cs, 52 cs/plt  |
| 25HMT3110C               | Clear | 72mm X 100m, 2.44 mil  | 24 rls/cs, 52 cs/plt  |
| 25HMT21000C <sup>M</sup> | Clear | 48mm X 914m, 2.44 mil  | 6 rls/cs, 48 cs/plt   |
| 25HMT31000C <sup>M</sup> | Clear | 72mm X 914m, 2.44 mil  | 4 rls/cs, 48 cs/plt   |
| 25HMT2110T               | Tan   | 48mm X 100m, 2.44 mil  | 36 rls/cs, 52 cs/plt  |
| 25HMT3110T               | Tan   | 72mm X 100m, 2.44 mil  | 24 rls/cs, 52 cs/plt  |
| 30HMT255C                | Clear | 48mm X 50m, 2.83 mil   | 36 rls/cs, 75 cs/plt  |
| 30HMT355C                | Clear | 72mm X 50m, 2.83 mil   | 24 rls/cs, 75 cs/plt  |
| 35HMT255C                | Clear | 48mm X 50m, 3.46 mil   | 36 rls/cs, 75 cs/plt  |
| 35HMT355C                | Clear | 72mm X 50m, 3.46 mil   | 24 rls/cs, 75 cs/plt  |

<sup>M</sup> = Machine length tape

| Item No.                                 | Size         | Selling Unit         |
|--|--------------|----------------------|
| <i>Cold Temperature, Clear, 1.95 Mil</i> |              |                      |
| 20HMT2110C                               | 48mm X 100m  | 36 rls/cs, 75 cs/plt |
| 20HMT3110C                               | 72mm X 100m  | 24 rls/cs, 75 cs/plt |
| 20HMT21000C <sup>M</sup>                 | 48mm X 914m  | 6 rls/cs, 64 cs/plt  |
| 20HMT21500C <sup>M</sup>                 | 48mm X 1371m | 6 rls/cs, 36 cs/plt  |
| 20HMT31000C <sup>M</sup>                 | 72mm X 914m  | 4 rls/cs, 64 cs/plt  |
| 20HMT31500C <sup>M</sup>                 | 72mm X 1371m | 4 rls/cs, 36 cs/plt  |

| Item No.                                   | Size        | Selling Unit         |
|--|-------------|----------------------|
| <i>For Recycled Boxes, Clear, 2.05 Mil</i> |             |                      |
| 20HMT2110C-RC                              | 48mm X 100m | 36 rls/cs, 75 cs/plt |
| 20HMT3110C-RC                              | 72mm X 100m | 24 rls/cs, 75 cs/plt |
| 20HMT21000C-RC <sup>M</sup>                | 48mm X 914m | 6 rls/cs, 48 cs/plt  |
| 20HMT31000C-RC <sup>M</sup>                | 72mm X 914m | 4 rls/cs, 48 cs/plt  |



| Item No.               | Color  | Size               | Selling Unit            |                         |
|------------------------|--------|--------------------|-------------------------|-------------------------|
| 234805-R               | Red    | 48mm X 50m, 2 mil  | 36 rls/cs,<br>75 cs/plt |                         |
| 234805-L               | Blue   |                    |                         |                         |
| 234805-G               | Green  |                    |                         |                         |
| 234805-W               | White  |                    |                         |                         |
| 234805-Y               | Yellow |                    |                         |                         |
| 234805-B               | Black  |                    |                         |                         |
| 234805-O               | Orange |                    |                         |                         |
| 234810-R               | Red    | 48mm X 100m, 2 mil |                         |                         |
| 234810-L               | Blue   |                    |                         |                         |
| 234810-G               | Green  |                    |                         |                         |
| 234810-W               | White  |                    |                         |                         |
| 234810-Y               | Yellow |                    |                         |                         |
| 234810-B               | Black  |                    |                         |                         |
| 234810-O               | Orange |                    |                         |                         |
| 234810-P               | Purple |                    |                         |                         |
| 237205-R               | Red    | 72mm X 50m, 2 mil  | 24 rls/cs,<br>75 cs/plt |                         |
| 237205-L               | Blue   |                    |                         |                         |
| 237205-G               | Green  |                    |                         |                         |
| 237205-W               | White  |                    |                         |                         |
| 237205-Y               | Yellow |                    |                         |                         |
| 237205-B               | Black  |                    |                         |                         |
| 237205-O               | Orange |                    |                         |                         |
| 2348914-B <sup>M</sup> | Black  | 48mm X 914m, 2 mil |                         | 6 rls/cs,<br>48 rls/plt |
| 2348914-R <sup>M</sup> | Red    |                    |                         |                         |
| 2348914-L <sup>M</sup> | Blue   |                    |                         |                         |
| 2348914-Y <sup>M</sup> | Yellow |                    |                         |                         |
| 2348914-G <sup>M</sup> | Green  |                    |                         |                         |
| 2348914-W <sup>M</sup> | White  |                    |                         |                         |

- ▶ Used for package identification purposes
- ▶ Sticks to virtually any surface
- ▶ Recommended for product coding & dating inventory in warehouse locations




Shield Color Hand Tape



2348914-Y  
2348914-R



Shield Color Machine Tape




2348914-G

Hotmelt-Acrylic Hybrid Tape

| Item No.                 | Size                  | Selling Unit         |
|--------------------------|-----------------------|----------------------|
| HMA2110C                 | 48mm X 100m, 1.75 mil | 36 rls/cs, 75 cs/plt |
| HMA3110C                 | 72mm X 100m, 1.75 mil | 24 rls/cs, 75 cs/plt |
| 20HMA2110C               | 48mm X 100m, 2 mil    | 36 rls/cs, 75 cs/plt |
| 20HMA3110C               | 72mm X 100m, 2 mil    | 24 rls/cs, 75 cs/plt |
| 20HMA21000C <sup>M</sup> | 48mm X 914m, 2 mil    | 6 rls/cs, 48 cs/plt  |
| 20HMA31000C <sup>M</sup> | 72mm X 914m, 2 mil    | 4 rls/cs, 48 cs/plt  |

- ▶ Works on 100% recycled corrugated boxes
- ▶ Can be used in extreme temperatures
- ▶ Residue-free machine length tapes
- ▶ Quick tack tape



Hotmelt-Acrylic Hybrid Tape



16HMA3110C

<sup>M</sup> = Machine length tape

## Hot Melt Select

- ▶ High tack adhesive
- ▶ Superior holding force
- ▶ Excellent tensile strength



16HMTS2110C



16HMTS3110C

M = For machine use

| Item No.                  | Size                  | Selling Unit |
|---------------------------|-----------------------|--------------|
| 16HMTS2110C               | 48mm x 100m, 1.6 Mil  | 36 rls/cs    |
| 16HMTS3110C               | 72mm x 100m, 1.6 Mil  | 24 rls/cs    |
| HMTS2110C                 | 48mm x 100m, 1.8 Mil  | 36 rls/cs    |
| HMTS3110C                 | 72mm x 100m, 1.8 Mil  | 24 rls/cs    |
| 19HMTS2110C               | 48mm x 100m, 1.92 Mil | 36 rls/cs    |
| 19HMTS3110C               | 72mm x 100m, 1.92 Mil | 24 rls/cs    |
| 20HMTS2110C               | 48mm x 100m, 2 Mil    | 36 rls/cs    |
| 20HMTS3110C               | 72mm x 100m, 2 Mil    | 24 rls/cs    |
| 20HMTS21000C <sup>M</sup> | 48mm x 914m, 2 Mil    | 6 rls/cs     |
| 20HMTS31000C <sup>M</sup> | 72mm x 914m, 2 Mil    | 4 rls/cs     |
| 25HMTS2110C               | 48mm x 100m, 2.5 Mil  | 36 rls/cs    |
| 25HMTS3110C               | 72mm x 100m, 2.5 Mil  | 24 rls/cs    |
| 30HMTS255C                | 48mm x 50m, 3.1 Mil   | 36 rls/cs    |
| 30HMTS355C                | 72mm x 50m, 3.1 Mil   | 24 rls/cs    |

## Duct Tape

- ▶ Superior, durable backing
- ▶ Aggressive natural rubber adhesive & repair for construction or weatherproofing
- ▶ Will not twist or curl during application



Duct Tape

| Item No. | Color  | Size               | Selling Unit         |
|----------|--------|--------------------|----------------------|
| DT6048   | Silver | 2" X 60 yds, 6 mil | 24 rls/cs, 27 cs/plt |
| DT6072   |        | 3" X 60 yds, 6 mil | 16 rls/cs, 27 cs/plt |
| DT7048   |        | 2" X 60 yds, 7 mil | 24 rls/cs, 27 cs/plt |
| DT7048B  | Black  | 2" X 60 yds, 7 mil | 24 rls/cs, 27 cs/plt |
| DT8048   | Silver | 2" X 60 yds, 8 mil | 24 rls/cs, 27 cs/plt |
| DT8072   |        | 3" X 60 yds, 8 mil | 16 rls/cs, 27 cs/plt |
| DT9048   |        | 2" X 60 yds, 9 mil | 24 rls/cs, 27 cs/plt |
| DT9072   |        | 3" X 60 yds, 9 mil | 16 rls/cs, 27 cs/plt |
| DT9048B  | Black  | 2" X 60 yds, 9 mil | 24 rls/cs, 27 cs/plt |
| DT9048R  | Red    | 2" X 60 yds, 9 mil | 24 rls/cs, 27 cs/plt |

## Strapping Tape

- ▶ Keeps box from shifting in transit & ideal for palletizing, bundling, color coding & unitizing
- ▶ Tensitized MOPP film with a water based acrylic adhesive
- ▶ 100 lb. tensile strength




Strapping Tape

| Item No. | Color | Size          | Selling Unit             |
|----------|-------|---------------|--------------------------|
| ST2709   | Black | 3/8" X 60 yds | 192 rls/cs,<br>72 cs/plt |
| ST2712   |       | 1/2" X 60 yds | 144 rls/cs,<br>72 cs/plt |
| ST2712C  | Clear | 1/2" X 60 yds | 144 rls/cs,<br>72 cs/plt |
| ST2718   | Black | 3/4" X 60 yd  | 96 rls/csl,<br>72 cs/plt |
| ST2724   |       | 1" X 60 yds   | 72 rls/cs,<br>72 cs/plt  |
| ST2712W  | White | 1/2" X 60 yds | 144 rls/cs,<br>72 cs/plt |
| ST2718W  |       | 3/4" X 60 yds | 96 rls/cs,<br>72 cs/plt  |

## Painter's Tape

| Item No. | Color | Size            | Selling Unit         |
|----------|-------|-----------------|----------------------|
| BPT5618L | Blue  | 3/4" X 60 yds   | 64 rls/cs, 48 cs/plt |
| BPT5624L |       | 1" X 60 yds     | 48 rls/cs, 48 cs/plt |
| BPT5636L |       | 1 1/2" X 60 yds | 32 rls/cs, 48 cs/plt |
| BPT5648L |       | 2" X 60 yds     | 24 rls/cs, 48 cs/plt |
| BPT5672L |       | 3" X 60 yds     | 16 rls/cs, 48 cs/plt |
| BPT5648G | Green | 2" X 60 yds     | 24 rls/cs, 48 cs/plt |

- ▶ High performance masking tape that doesn't dry out or lose its holding power
- ▶ Clean removal for up to 21 days
- ▶ Commonly used on drywall, glass, hardwood floors & wood trim



Painter's Tape

## Bag Tape

| Item No. | Color  | Size                    | Selling Unit         |
|----------|--------|-------------------------|----------------------|
| BT38W    | White  | 3/8" X 180 yds, 2.3 mil | 96 rls/cs, 40 cs/plt |
| BTI38W   |        | 3/8" X 180 yds, 2.3 mil | 96 rls/cs, 88 cs/plt |
| BT38R    | Red    | 3/8" X 180 yds, 2.3 mil | 96 rls/cs, 40 cs/plt |
| BTI38R   |        | 3/8" X 180 yds, 2.3 mil | 96 rls/cs, 88 cs/plt |
| BT38Y    | Yellow | 3/8" X 180 yds, 2.3 mil | 96 rls/cs, 40 cs/plt |
| BTI38Y   |        | 3/8" X 180 yds, 2.3 mil | 96 rls/cs, 88 cs/plt |
| BT38G    | Green  | 3/8" X 180 yds, 2.3 mil | 96 rls/cs, 40 cs/plt |
| BTI38G   |        | 3/8" X 180 yds, 2.3 mil | 96 rls/cs, 88 cs/plt |
| BT38L    | Blue   | 3/8" X 180 yds, 2.3 mil | 96 rls/cs, 40 cs/plt |
| BTI38L   |        | 3/8" X 180 yds, 2.3 mil | 96 rls/cs, 88 cs/plt |

- ▶ UPVC bag sealing tape
- ▶ Bag tapes available too
- ▶ Perfect for sealing food bags, storage bags & various other applications



Bag Tape

## Barricade Tape

| Item No.   | Color                  | Size              | Selling Unit        |
|------------|------------------------|-------------------|---------------------|
| BCT3072YC  | Yellow, "CAUTION"      | 3" X 1000', 2 mil | 4 rls/cs, 60 cs/plt |
| BCT3072RD  | Red, "DANGER"          | 3" X 1000', 2 mil | 4 rls/cs, 60 cs/plt |
| BCT3072YCD | Yellow, "DO NOT ENTER" | 3" X 1000', 2 mil | 4 rls/cs, 60 cs/plt |

- ▶ Used to identify boundaries
- ▶ Excellent tool for public safety jobs, contractors, maintenance & utility industries
- ▶ Made from NON-adhesive polyethylene



Barricade Tape

## Masking Tape

- ▶ General purpose masking tape for NON-critical applications
- ▶ Water & oil resistant
- ▶ Designed for interior use only
- ▶ Instant adhesion/sticks to wide variety of irregular surfaces
- ▶ Heavy duty backing, hand tear-able w/ high edge tear which resists silvering & splitting



Masking Tape



MSTI4936W

| Item No.  | Size            | Selling Unit         |
|---|-----------------|----------------------|
| <i>Standard Grade, 4.3 mil, 5% elongation, 22 lb/in tensile</i>     |                 |                      |
| MST5512W  | 1/2" X 60 yds   | 72 rls/cs, 80 cs/plt |
| MST5518W  | 3/4" X 60 yds   | 48 rls/cs, 80 cs/plt |
| MST5524W  | 1" X 60 yds     | 36 rls/cs, 80 cs/plt |
| MST5536W  | 1 1/2" X 60 yds | 24 rls/cs, 80 cs/plt |
| MST5548W  | 2" X 60 yds     | 24 rls/cs, 80 cs/plt |
| MST5572W  | 3" X 60 yds     | 16 rls/cs, 80 cs/plt |
| <i>Utility Grade, 4.3 mil, 8% elongation, 18 lb/in tensile</i>      |                 |                      |
| MSTE4312W   | 1/2" X 60 yds   | 72 rls/cs, 80 cs/plt |
| MSTE4318W   | 3/4" X 60 yds   | 48 rls/cs, 96 cs/plt |
| MSTE4324W   | 1" X 60 yds     | 36 rls/cs, 96 cs/plt |
| MSTE4336W   | 1 1/2" X 60 yds | 24 rls/cs, 96 cs/plt |
| MSTE4348W   | 2" X 60 yds     | 24 rls/cs, 96 cs/plt |
| MSTE4372W   | 3" X 60 yds     | 16 rls/cs, 80 cs/plt |
| <i>Industrial Grade, 4.3 mil, 8.5% elongation, 19 lb/in tensile</i> |                 |                      |
| MSTI4918W   | 3/4" X 60 yds   | 48 rls/cs, 96 cs/plt |
| MSTI4924W   | 1" X 60 yds     | 36 rls/cs, 96 cs/plt |
| MSTI4936W   | 1 1/2" X 60 yds | 24 rls/cs, 96 cs/plt |
| MSTI4948W   | 2" X 60 yds     | 24 rls/cs, 96 cs/plt |

## Flat Back Tape, 5.5 mil

- ▶ Used for splicing, bundling, holding, fastening, tabbing and packaging applications
- ▶ Resistant to moist conditions
- ▶ Excellent tack and adhesion
- ▶ Good backing strength
- ▶ Hand tear-able



Flat Back Tape

| Item No. | Size        | Selling Unit         |
|----------|-------------|----------------------|
| FBT6048  | 2" X 60 yds | 24 rls/cs, 48 cs/plt |
| FBT6072  | 3" X 60 yds | 16 rls/cs, 48 cs/plt |



## Filament Tape

| Item No.  | Size            | Selling Unit         |
|---|-----------------|----------------------|
| <b>100 lb Tensile, 4 mil</b>                      |                 |                      |
| FT3909  | 3/8" X 60 yds   | 96 rls/cs, 64 cs/plt |
| FT3912  | 1/2" X 60 yds   | 72 rls/cs, 64 cs/plt |
| FT3918  | 3/4" X 60 yds   | 48 rls/cs, 64 cs/plt |
| FT3924  | 1" X 60 yds     | 36 rls/cs, 64 cs/plt |
| FT3936  | 1 1/2" X 60 yds | 24 rls/cs, 64 cs/plt |
| FT3948  | 2" X 60 yds     | 24 rls/cs, 48 cs/plt |
| FT3972  | 3" X 60 yds     | 16 rls/cs, 48 cs/plt |
| <b>105 lb Tensile, 4 mil - Economy</b>            |                 |                      |
| FTE3912   | 1/2" X 60 yds   | 72 rls/cs, 64 cs/plt |
| FTE3918   | 3/4" X 60 yds   | 48 rls/cs, 64 cs/plt |
| FTE3924   | 1" X 60 yds     | 36 rls/cs, 64 cs/plt |
| FTE3936   | 1 1/2" X 60 yds | 24 rls/cs, 64 cs/plt |
| FTE3948   | 2" X 60 yds     | 24 rls/cs, 48 cs/plt |
| FTE3972   | 3" X 60 yds     | 16 rls/cs, 48cs/plt  |
| <b>110 lb Tensile, 4 mil - General Purpose</b>    |                 |                      |
| FTG3912   | 1/2" X 60 yds   | 72 rls/cs, 64 cs/plt |
| FTG3918   | 3/4" X 60 yds   | 48 rls/cs, 64 cs/plt |
| FTG3924   | 1" X 60 yds     | 36 rls/cs, 64 cs/plt |
| FTG3948   | 2" X 60 yds     | 24 rls/cs, 48 cs/plt |
| <b>147 lb Tensile, 4.8 mil - Industrial Grade</b> |                 |                      |
| FTI3912   | 1/2" X 60 yds   | 72 rls/cs, 64 cs/plt |
| FTI3918   | 3/4" X 60 yds   | 48 rls/cs, 64 cs/plt |
| FTI3924   | 1" X 60 yds     | 36 rls/cs, 64 cs/plt |
| FTI3948   | 2" X 60 yds     | 24 rls/cs, 48 cs/plt |

- ▶ Recommended for light to medium bundling & strapping applications
- ▶ Glass reinforced & pressure sensitive
- ▶ Excellent adhesion to corrugated cartons & outstanding holding power



Filament Tape



FTE3936

## Aluminum Foil Tape

- ▶ 3.0 dead soft AFT with aggressive pressure-sensitive tape
- ▶ Can be used for masking for chemical paint stripping of aircraft, electroplating, heat reflection
- ▶ Other functions – HVAC, aerospace, industrial, marine and appliance industry




Aluminum Foil Tape

| Item No.   | Size          | Selling Unit         |
|------------|---------------|----------------------|
| AFTSW05.5  | 1/2" X 60 yds | 72 rls/cs, 12 cs/plt |
| AFTSW05075 | 3/4" X 60 yds | 48 rls/cs, 12 cs/plt |
| AFTSW0501  | 1" X 60 yds   | 36 rls/cs, 12 cs/plt |
| AFTSW0502  | 2" X 60 yds   | 24 rls/cs, 12 cs/plt |
| AFTSW0503  | 3" X 60 yds   | 16 rls/cs, 12 cs/plt |

## Aisle Marking Tape

- ▶ Pressure-sensitive tape available in both solid & striped colors for high visibility
- ▶ Hazard warning tape for marking aisles, steps, pillars, parking lots, etc.
- ▶ Useful for color-coding and identification



Aisle Marking Tape

| Item No.   | Color        | Size               | Selling Unit         |
|------------|--------------|--------------------|----------------------|
| WTSV7048BY | Black Yellow | 2" X 36 yds, 6 mil | 24 rls/cs, 48 cs/plt |
| WTSV7048RW | Red White    | 2" X 36 yds, 6 mil | 24 rls/cs, 48 cs/plt |
| WTSV7048BW | Black White  | 2" X 36 yds, 6 mil | 24 rls/cs, 48 cs/plt |
| WTSV7048GW | Green White  | 2" X 36 yds, 6 mil | 24 rls/cs, 48 cs/plt |
| WTSV7072BY | Black Yellow | 3" X 36 yds, 6 mil | 16 rls/cs, 50 cs/plt |
| WTSV7072RW | Red White    | 3" X 36 yds, 6 mil | 16 rls/cs, 48 cs/plt |
| WTSV7072BW | Black White  | 3" X 36 yds, 6 mil | 16 rls/cs, 48 cs/plt |
| WTSV7072GW | Green White  | 3" X 36 yds, 6 mil | 16 rls/cs, 48 cs/plt |
| WTSV7048Y  | Yellow       | 2" X 36 yds, 6 mil | 24 rls/cs, 48 cs/plt |
| WTSV7048W  | White        | 2" X 36 yds, 6 mil | 24 rls/cs, 48 cs/plt |
| WTSV7048N  | Brown        | 2" X 36 yds, 6 mil | 24 rls/cs, 48 cs/plt |
| WTSV7048C  | Clear        | 2" X 36 yds, 6 mil | 24 rls/cs, 48 cs/plt |
| WTSV7048R  | Red          | 2" X 36 yds, 6 mil | 24 rls/cs, 48 cs/plt |
| WTSV7048L  | Blue         | 2" X 36 yds, 6 mil | 24 rls/cs, 48 cs/plt |
| WTSV7048B  | Black        | 2" X 36 yds, 6 mil | 24 rls/cs, 48 cs/plt |
| WTSV7048G  | Green        | 2" X 36 yds, 6 mil | 24 rls/cs, 48 cs/plt |
| WTSV7048O  | Orange       | 2" X 36 yds, 6 mil | 24 rls/cs, 48 cs/plt |
| WTSV7048P  | Purple       | 2" X 36 yds, 6 mil | 24 rls/cs, 48 cs/plt |

## Double-Coated Tape

| Item No. | Size          | Selling Unit         |
|----------|---------------|----------------------|
| DCT3318  | 3/4" X 55 yds | 64 rls/cs, 96 cs/plt |
| DCT3324  | 1" X 55 yds   | 48 rls/cs, 96 cs/plt |
| DCT3348  | 2" X 55 yds   | 24 rls/cs, 96 cs/plt |
| DCT3372  | 3" X 55 yds   | 16 rls/cs, 96 cs/plt |

- ▶ Tissue paper coated on both sides
- ▶ High resistance to oil, some plasticizers, ultraviolet light (UV)
- ▶ Can be used for bonding and laminating of materials such as paper, cloth, vinyl, rigid and flexible plastic



## Carpeted Surface Protection Film

| Item No.                      | Size       | Selling Unit         |
|-------------------------------|------------|----------------------|
| <i>Carpet Protection Film</i> |            |                      |
| CPF2450C                      | 24" X 50'  | 15 rls/cs, 30 cs/plt |
| CPF24200C                     | 24" X 200' | 6 rls/cs, 12 cs/plt  |

- ▶ Protects synthetic carpets from dirt, spills, dust and damage
- ▶ Made of polyethylene film, specially blended to resist tears and punctures
- ▶ Acrylic adhesive system allows for clean removal



## Hard Surface Protection Film

| Item No.                            | Size                      | Selling Unit         |
|-------------------------------------|---------------------------|----------------------|
| <i>Hard Surface Protection Film</i> |                           |                      |
| HSPF2450L                           | 24" X 50', cling inside   | 15 rls/cs, 30 cs/plt |
| HSPF24200L                          | 24" X 200', cling outside | 6 rls/cs, 12 cs/plt  |

- ▶ Designed for use on smooth (polished metals #3 and #4 stainless steel, painted aluminum, etc.) and semi-smooth surfaces
- ▶ Acrylic adhesive system allows for clean removal and minimal adhesion buildup
- ▶ Contains a 60-day UVI additive



## Custom Printed Reinforced Gum Tapes

- ▶ Up to 2 color printing on white or kraft, gummed tape
- ▶ \$140 plate charge per color
- ▶ Minimum order quantity – 10 cs
- ▶ Lead time: 3 weeks from approval
- ▶ No charge for initial artwork (however, fee incurs for subsequent changes)


| Item No.               | Size                   | Selling Unit         |
|------------------------|------------------------|----------------------|
| <b>1-2 Color Print</b> |                        |                      |
| CUSTOM TAPES           | 72mm X 450', 240 Grade | 10 rls/cs, 60 cs/plt |
| CUSTOM TAPES           | 72mm X 450', 260 Grade | 10 rls/cs, 60 cs/plt |



Custom Reinforced Gum Tapes

## Custom Printed Hotmelt Tapes

- ▶ \$140 plate charge per color
- ▶ Minimum order quantity – 10 cs
- ▶ Lead time: 3 weeks from approval
- ▶ No charge for initial artwork (Subsequent changes \$85/hr)



Custom Hotmelt Tapes

| Item No.   | Size               | Selling Unit         |
|--|--------------------|----------------------|
| <b>1-2 Color Print</b>                             |                    |                      |
| CUSTOM TAPES                                       | 48mm X 100m, 2 mil | 36 rls/cs, 75 cs/plt |
|  | 72mm X 100m, 2 mil | 24 rls/cs, 75 cs/plt |
|  | 48mm X 914m, 2 mil | 6 rls/cs, 64 cs/plt  |
|  | 72mm X 914m, 2 mil | 4 rls/cs, 64 cs/plt  |
| <b>3 Color Print or Flood Coat with 1 Color</b>    |                    |                      |
| CUSTOM TAPES                                       | 48mm X 100m, 2 mil | 36 rls/cs, 75 cs/plt |
|  | 72mm X 100m, 2 mil | 24 rls/cs, 75 cs/plt |
| <b>1- 3 Color Print or Flood Coat with 1 Color</b> |                    |                      |
| CUSTOM TAPES                                       | 48mm X 55m, 3 mil  | 36 rls/cs, 75 cs/plt |
|  | 72mm X 55m, 3 mil  | 24 rls/cs, 75 cs/plt |

## Custom Printed Acrylic Tapes

- ▶ All temperature box sealing tape
- ▶ \$140 plate charge per color
- ▶ Minimum order quantity – 10 cs
- ▶ Lead time: 3 weeks from artwork approval
- ▶ No charge for initial artwork (Subsequent changes \$85/hr)

| Item No.               | Size               | Selling Unit          |
|------------------------|--------------------|-----------------------|
| <b>1-2 Color Print</b> |                    |                       |
| CUSTOM TAPES           | 48mm X 100m, 2 mil | 36 rls/cs, 105 cs/plt |
|                        | 72mm X 100m, 2 mil | 24 rls/cs, 105 cs/plt |
|                        | 48mm X 914m, 2 mil | 6 rls/cs, 80 cs/plt   |
|                        | 72mm X 914m, 2 mil | 4 rls/cs, 80 cs/plt   |
| <b>3 Color Print</b>   |                    |                       |
| CUSTOM TAPES           | 48mm X 100m, 2 mil | 36 rls/cs, 105 cs/plt |
|                        | 72mm X 100m, 2 mil | 24 rls/cs, 105 cs/plt |